

Product	Label Contents	Dimensions (WxH)
AURELIA (IE)	5L - Booklet	277 x 150 mm

Winter oilseed rape: Apply 0.7 L/ha AURELIA at any stage and, where required, a second application of 0.7 L/ha can be made for a total permitted dose of 1.4 L/ha/crop. All applications must be made up to a pre harvest interval of 56 days.

Oilseed rape diseases:

Disease	Oil seed rape
Phoma leaf spot/stem canker	C
Sclerotinia stem rot	C
Light leaf spot	MC
C = Control, MC = Moderate Control, R = Resistant	

- **Light leaf spot:** Apply 0.7 L/ha in autumn/winter (usually late October to early December) protectively prior to disease establishment. If further treatment is required the following spring, apply a second application of 0.7 L/ha from the onset of stem extension.
- **Phoma leaf spot/stem canker:** Apply 0.7 L/ha in autumn prior to disease establishment and, if symptoms reoccur, apply a second application in late autumn/winter.
- **Sclerotinia stem rot (*Sclerotinia sclerotiorum*):** Apply 0.7 L/ha at full flower to deposit the spray on the petals.

MIXING

Before spraying it is important to check all hoses, filters and nozzles, and to ensure that the sprayer is clean and correctly set to give an even application at the correct volume.

Half fill the spray tank with clean water and start the agitation. Add the required quantity of AURELIA and complete the filling of the tank. Agitate the mixture thoroughly before and during spraying. Spray immediately after mixing and clean out the application equipment with detergent after use.

Compatibility

When applying AURELIA in tank-mixture with other products, follow any instructions as to the order of mixing on any partner product. Where no instructions are given, fully disperse the partner product before adding AURELIA.

CONDITIONS OF SUPPLY

All goods supplied by us are of high grade and we believe them to be suitable but, as we cannot exercise control over their storage, handling, mixing or use or the weather conditions before, during and after application which may affect the performance of the goods, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded and no responsibility will be accepted by us or re-sellers for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in the use of such goods.

AURELIA - PCS No. 06106

Contains 250 g/l (25% w/w) prothioconazole and N,N- Dimethyl decanamide as an emulsifiable concentrate.

AURELIA is a broad-spectrum fungicide for disease control in winter and spring crops of wheat, barley and oats, winter rye, triticale, durum wheat and winter oilseed rape.

WARNING



FOR PROFESSIONAL USE ONLY

**Causes serious eye irritation.
May cause respiratory irritation.
Very toxic to aquatic life with long-lasting effects.**

Keep out of the reach of children.
Avoid breathing spray.
Wear protective gloves, protective clothing and protective eye/face protection.
Call a POISON CENTRE/doctor/physician if you feel unwell.
If eye irritation persists: Get medical advice/attention.
Collect spillage.

Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for triple-rinsed empty containers which can be disposed of as non-hazardous waste.
Contains 2-[2-(1-chlorocyclopropyl)-2-hydroxy-3-phenylpropyl]-2,4-dihydro-3H-1,2,4-triazole-3-thione. May produce an allergic reaction.

To avoid risks to human health and the environment, comply with the instructions for use.

PCS No. 06106

UFI: PJR5-7U4V-F108-4DN4

Approval Holder & Marketing Company: Life Scientific Limited, Block 4, Belfield Office Park, Dublin 4, Ireland. Tel: +353 1 2832024

In case of Emergency: Tel. NPIC +353 1 809 2166 (8.00 a.m. to 10.00 p.m. - Public)
Tel. NPIC +353 1 809 2566 (Healthcare Professionals)



PROTECT FROM FROST MADE IN EU SHAKE WELL BEFORE USE

170230610805_V4
BATCH NO. SEE PACKAGING

PEEL BACK FOR DIRECTIONS FOR USE LEAFLET

